



Motor

□ LM105/LM110/LM505/LM505 (Dimensions in [] indicate LM105/LM505)


Length of stroke 50 mm



Unit in figure: mm
Length of stroke 100 mm




Length of stroke 150 to 1800 mm




Model	L	Ls	N	Mounting hole for fixed unit
-------	---	----	---	------------------------------

□ LM205/LM210/LM305/LM310 (Dimensions in [] indicate LM205/LM305)


Length of stroke 50 mm



Length of stroke 100 mm




Length of stroke 150 to 1800 mm




Model	L	Ls	N	Mounting hole for fixed unit
-------	---	----	---	------------------------------

□ LM130/LM530


Length of stroke 50 mm



Length of stroke 100 mm




Length of stroke 150 mm



Sensor mounting position diagram (common to all models)

(1) Outside sensors



(2) Inside sensors





Photo-sensor: EE-SX670A (Omron)
Connector: EE-1001 (Omron)
Mounting 4 pieces, 2 for each side


LM105/LM110/LM505/LM505 (Dimensions in [] indicate LM105/LM505)

Length of stroke 150 to 1800mm




□ LM230/LM240/LM330 (Dimensions in [] indicate LM240)


Length of stroke 50mm




Length of stroke 100 to 200mm



Length of stroke 300 to 1800mm




Head amplifier




Drive

□ 500 W Class



Regeneration Resistor

□ 80 W Regeneration Resistor



Connector

□ Controller Connector

Connector: PCR-S36FS (made by Honda Tsushin Kogyo)
Housing: PCR-LS36LA (made by Honda Tsushin Kogyo)

□ Encoder/Resolver Connector

Connector: PCR-S20FS (made by Honda Tsushin Kogyo)
Housing: PCR-LS20LA1 (made by Honda Tsushin Kogyo)

